


MU-2B MARQUISE (-60), SOLITAIRE (-40), N (-36A), P (-26A)

CIRCLING APPROACH AT WEATHER MINIMUMS



CAT C 121 - 140KCAS 1.7NM
 CAT D 141 - 165KCAS 2.3NM

A/S 140KCAS (130KCAS MIN.)
 APPROX 50% TORQUE, NOT
 BELOW CIRCLING MINIMUM
 DESCENT ALTITUDE

LANDING APPROACH SPEEDS – VREF

WEIGHT	1.3 VS1		1.5 VS1	
	FLAPS 20°	FLAPS 40°	FLAPS 20°	FLAPS 40°
7,500 LBS	/ 96 *	/ 99 *	/ 99 *	/ 102 *
8,000 LBS	/ 99 *	/ 102 *	105 / 106 *	108 / 109 *
8,500 LBS	99 / 102 *	100 / 105 *	108 / 109 *	111 / 112 *
9,000 LBS	100 / 105 *	102 / 108 *	111 / 112 *	115 / 115 *
9,500 LBS	102 / 108 *	105 / 111 *	114 /	116 /
9,955 LBS	105 /	108 /	119 /	
10,000 LBS	108 /	110 /		
10,500 LBS	110 /			
11,025 LBS				

* P. SOL